

ADVANTAGE
ONE
SOURCE



Centurion

ORNAMENTAL STEEL FENCE SYSTEM™




SPS STEPHENS
PIPE & STEEL


800-451-2612 – SPSfence.com

Centurion Ornamental Steel Fence Systems Panel Options


DEFENDER




2-RAIL SERIES



3-RAIL SERIES




SPECIALTY SERIES




U-CHANNEL SERIES


FORTRESS




2-RAIL SERIES



3-RAIL SERIES




SPECIALTY SERIES




U-CHANNEL SERIES


SPARTAN




2-RAIL SERIES



3-RAIL SERIES




SPECIALTY SERIES




U-CHANNEL SERIES


TITAN




2-RAIL SERIES



3-RAIL SERIES




SPECIALTY SERIES




U-CHANNEL SERIES


GLADIATOR/ENFORCER




3-RAIL SERIES



4-RAIL SERIES



3 RAIL ENFORCER



4 RAIL ENFORCER

Centurion Ornamental Steel Fence Systems



Nothing defines a space with such grace and proportion as our exclusive brand of Centurion Ornamental Steel Fence. Available in more than 15 different styles, Centurion meets a variety of fencing needs from architectural and landscaping enhancement to security and safety. Unlike other steel fencing products, Centurion is built to last and backed with a 12-year warranty against cracking, chipping, peeling or blistering. Fabricated in several distinct combinations of gauge and strength, Centurion meets the needs any of residential, commercial and institutional project.

SPS CENTURION CLASSES (SQUARE TUBE)


SERIES	CENTURION 1	CENTURION 2	CENTURION 3	CENTURION 4
PICKETS	3/4" x 18 ga	3/4" x 16 ga	1" x 16 ga	1" x 14 ga
RAILS	1-1/2" x 16 ga	1-1/2" x 14 ga	2" x 14 ga	2" x 14 ga
POSTS	2" x 16 ga	2-1/2" x 14 ga	2-1/2" x 14 ga	2-1/2" x 12 ga
AIR SPACE	3 & 4"	3 & 4"	3 & 4"	3 & 4"
HEIGHTS	3, 3.5, 4, 5 & 6 ft	4-8 ft	4-10 ft	4-10 ft
6 FT LENGTHS	76-1/4"	76-1/4"	76-3/4"	76-3/4"
8 FT LENGTHS	95-1/2"	95-1/2"	96"	96"
RAIL WEIGHT (PSI)	1.27	1.75	2.16	2.16
YIELD STRENGTH (PSI)	45,000	45,000	45,000	45,000
VERT LOAD 6' SPAN	413	434	584	584
VERT LOAD 8' SPAN	309	326	438	438
HORZ LOAD 6' SPAN	484	509	682	682
HORZ LOAD 8' SPAN	363	382	512	512

Centurion Ornamental U-Channel Systems

Centurion U-Channel is fabricated in several distinct combinations of gauges and strength to meet the needs of residential, commercial and institutional installations. Each panel style is rackable, making it ideal for challenging projects. Offering different panel styles, each rail and picket is individually poly coated and hand built. Rivets are inserted into the pre-punched holes in the rails and pickets and align perfectly for a true fit.



Stair-stepping panels



Rackable panels up to 12 degrees

SPS CENTURION CLASSES (U-CHANNEL)

SERIES	CLASS A	CLASS B	CLASS C	CLASS D	CLASS E
PICKETS	3/4" x 18 ga	3/4" x 16 ga	1" x 18 ga	1" x 16 ga	1" x 14 ga
RAILS	1-1/2" x 11 ga	1-1/2" x 11 ga	1-1/2" x 11 ga	1-1/2" x 11 ga	1-1/2" x 11 ga
POSTS	2" x 16 ga	2-1/2" x 14 ga	2-1/2" x 14 ga	2-1/2" x 12 ga	2-1/2" x 12 ga
AIR SPACE	4"	4"	4"	4"	4"
HEIGHTS	3, 3.5, 4, 5 & 6 ft	4-8 ft	4-8 ft	4-8 ft	4-8 ft
6 FT LENGTHS	76-1/4"	76-1/4"	76-3/4"	76-3/4"	76-3/4"
8 FT LENGTHS	95-1/2"	95-1/2"	96"	96"	96"

Centurion Ornamental Protection and Options


Three Levels of Protection

Centurion is offered in three distinct gauges and weights to meet nearly any fencing requirement.

CENTURION I - This outstanding value is the answer to homeowners, business owners and developers seeking security and good looks. Recommended for apartment developments, swimming pool enclosures, gardens, commercial projects and residences where industrial strength fencing is neither appropriate nor budgeted. Ornamental posts, rails and pickets are constructed from welded high-strength tubular galvanized steel. After fabrication, these components are overcoated with proven, thermally-bonded DuraLast polyester. Black is the standard although other colors are available on request.

CENTURION II - Centurion II offers the next level in product thickness and weight, making it ideal for light industrial or commercial applications.


CENTURION III & IV - The heaviest gauge steel is offered in this superior configuration, suiting it to heavy industrial and high security applications where aesthetics are important.



1. 1/8" Locking Rod Through All Pickets

2. Prepunched Hole for Locking Rod
3. Flexible Grommet 10 4. Line Bracket (w/fastener)
5. Slotted Hole Bottom of Rail 9
6. Square Hole Top of Rail
7. Through Hole for Mounting to Post
8. End Bracket (w/fastener)
9. Rails - High-strength welded steel tubular construction is structurally superior to other designs. Coated with thermally-bonded DuraLast.
10. Pickets - Galvanized welded steel tubing is coated with thermally-bonded DuraLast for long maintenance-free service. Available in stamped spear, flat-top and flush-to-rail.

11. Post Cap - Zinc alloy cap seals out moisture and enhances fence appearance.
12. Posts - High-strength steel tubular posts are galvanized and overcoated with thermally-bonded DuraLast.
13. Tamper Resistant Fasteners - Require special tools for removal.
14. Grommets - Poly-vinyl grommets are installed to hold pickets firmly in place and seal out moisture.
15. Dual Locking Rods - Zinc-plated steel locking rods slide into rails firmly, locking pickets in position. Eliminates unsightly screws and rivets. Assures that top and bottom rails share the load equally.




Configuration Options

Centurion I pickets are stamped spear, flat-top or through rail. Flat post caps are also standard. To enhance the appearance of any Centurion installation, add your choice of these or other decorative options.

Thermally-Bonded DuraLast™ Finish Ensures Against Corrosion

Each Centurion component is formed from high-quality carbon steel, which is subjected to hot-dipped galvanized coating for corrosion resistance. A layer of phosphate prepares the galvanized steel for the DuraLast finish, applied electrostatically and thermally bonded after fabrication, ensuring that all welds and joints are fully protected. The result is a fence that requires no maintenance and carries a 12-year warranty.



ALABAMA 205-647-0111, **CONNECTICUT** 860-812-0265, **FLORIDA** 321-728-2932,
GEORGIA 770-868-1800, **KENTUCKY** 270-866-3331, **LOUISIANA** 225-387-1838, **MARYLAND** 301-699-0400,
MICHIGAN 616-248-3433, **MISSOURI** 816-359-3836, **NORTH CAROLINA** 336-375-3442,
OHIO (Columbus) 614-285-3584 or (Mt. Sterling) 740-869-2257, **PENNSYLVANIA** 570-567-7538,
SOUTH CAROLINA 803-849-1625, **TENNESSEE** 615-860-0001,
TEXAS (Dallas) 214-348-2400 or (Houston) 346-271-9017, **WEST VIRGINIA** 304-522-2210